

# KERN 573-46NM

Allrounder z. B. als Laborwaage, Zählwaage, Kontrollwaage, mit Eichzulassung [M]



## Environmental conditions

Maximum humidity:	80 %
Maximum operating temperature:	30 °C
Minimum ambient temperature:	10 °C

## Power supply

Input voltage:	100V-230V
----------------	-----------

## Service

DAkkS Certificate:	963-128
Verification:	965-217

## Category

Category:	Balances
Product Group:	Precision balance

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	400 x 340 x 220 mm
Gross weight:	4,600 kg
Net weight:	2,700 kg
Shipping method:	Parcel service

## Construction

Casing material:	Cast aluminium alloys
Dimensions housing (WÄDÄH):	180 x 310 x 90 mm
Material weighing plate:	stainless steel
Weighing surface (WxD):	160 x 200 mm

## Measuring system

Adjustment options:	External calibration
Linearity:	300 mg
Readout [d]:	100 mg
Recommended adjusting weight:	6000 g (F1)
Reproducibility:	100 mg
Resolution:	65000
Stabilisation time:	2 s
Warm up time:	2 h
Weighing range [Max]:	6,500 kg
Weighing system:	Strain gauge
Weighing units:	g kg

## Display

Display digit height:	1,800 cm
-----------------------	----------

## Technical data about verification

Minimum load [Min]:	5 g
n/a:	200 g
Verification approval conforming to 90/384/EEC:	yes
Verification by KERN possible:	yes
Verification class:	II
Verification value [e]:	1 g

## Counting

Counting resolution:	65000
Minimum piece weight at piece counting:	100 mg

## Functions

Counting function:	yes
Percentage determination:	yes
PRE-TARE function:	yes
Suspended weighing:	Loop