

KERN ALS160-4A

Analysenwaagen-Serie mit hohen Wägebereichen, auch mit Eichzulassung [M]



Counting

Counting resolution:	320000
Minimum piece weight at piece counting:	0,500 mg
Reference weight:	yes

Functions

Counting function:	yes
Density determination function:	yes
Peak function:	yes
Percentage determination:	yes
PRE-TARE function:	yes
Standby function:	yes
Vibration-free weighing (Animal weighing program):	yes
Weighing with tolerance range:	yes

Environmental conditions

Maximum humidity:	80 %
Maximum operating temperature:	35 °C
Minimum ambient temperature:	5 °C

Power supply

Input voltage:	country-dependent
----------------	-------------------

Service

DAkkS Certificate:	963-101
--------------------	---------

Category

Category:	Balances
Product Group:	Analytical balance

Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	520 x 410 x 620 mm
Gross weight:	9 kg
Net weight:	6,200 kg
Shipping method:	Parcel service

Construction

Casing material:	Plastic
Dimensions draft shield (WxDxH):	190 x 195 x 225 mm
Dimensions housing (WÄDÄH):	210 x 340 x 330 mm
Level indicator:	yes
Material weighing plate:	stainless steel
Overall dimensions mounted (WxDxH):	210 x 340 x 330 mm

Measuring system

Adjustment options:	External calibration
Linearity:	0,300 mg
Readout [d]:	0,100 mg
Recommended adjusting weight:	150 g (E2)
Reproducibility:	0,100 mg
Resolution:	1.600.000
Stabilisation time:	4 s
Tare range:	160 g
Warm up time:	8 h
Weighing range [Max]:	160 g
Weighing system:	Force compensation
Weighing units:	ct dwt g gn lb mo oz ozt tl (HK) tl (Singap. Malays) tl (Tw)

Display

Display digit height:	1,700 cm
-----------------------	----------

Technical data about verification

n/a:	200 mg
Verification class:	I (ohne Bauartzulassung)

KERN ALS160-4A



Analysenwaagen-Serie mit hohen Wägebereichen, auch mit Eichzulassung [M]

Revolving screw feet:	yes
Weighing space (WxDxH):	160 x 140 x 205 mm
Weighing surface (d):	80