

KERN HFM5T0.5

Industrie-Kranwaage bis 10 Tonnen

KERN[®]



Measuring system

Adjustment options:	External calibration
Linearity:	5 kg
Precision (of [Max]):	0,002
Readout [d]:	500 g
Recommended adjusting weight:	5000 kg (M1)
Reproducibility:	2,500 kg
Resolution:	10000
Stabilisation time:	2 s
Tare range:	-5000000000 mg
Warm up time:	30 min
Weighing range [Max]:	5 t
Weighing system:	Strain gauge
Weighing units:	kg

Display

Display digit height:	3 cm
-----------------------	------

Functions

Data hold function:	yes
---------------------	-----

Environmental conditions

Maximum humidity:	80 %
Maximum operating temperature:	40 °C
Minimum ambient temperature:	0 °C
Minimum humidity:	0 %

Power supply

Charging time:	14 h
Input voltage:	110 V - 230 V AC
Operating time (Backlight on):	50 h

Service

DAkkS Certificate:	963-132H
ISO calibration certificate:	961-105

Category

Category:	Balances
Product Group:	Crane scale

Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	400 x 810 x 455 mm
Gross weight:	26,800 kg
Net weight:	22,300 kg
Shipping method:	Parcel service

KERN HFM5T0.5

Industrie-Kranwaage bis 10 Tonnen



Construction

Casing material:	Cast aluminium alloys
Dimensions of display device (WÄDÄH):	300 x 190 x 230 mm
Overall dimensions mounted (WxDxH):	310 x 230 x 800 mm